

THE GELBOTTLE INC

HYPOFI+™

APPLICATION GUIDE



STEP 1 : NAIL PREP

- Sanitise both your and your client's hands.
- Follow your standard manicure or pedicure routine to prepare the natural nail.
- Use a cuticle pusher — such as the TGB ProPrep Tool — to gently push back the cuticles, then trim away excess using TGB ProNip Nippers.
- Shape the nails using a TGB 220/240 File to achieve the desired shape.
- Gently buff the nails using a TGB 100/180 Buffer to remove surface shine.
- Dehydrate the nail plate thoroughly using 100% TGB Acetone.

STEP 2: HYPOFIX™ PRIMER APPLICATION

- Apply a thin and even layer of the HypoFix™ Primer to the nail plate.
- Allow the product to air dry for 60 seconds — do not cure.
- The nail should have a subtle sheen once the primer is dry, indicating it's ready for a base coat.

STEP 3: PREPARING TIPS

- Apply a thin, even layer of your chosen BIAB™ or TGB Base Coat
- Cure or air dry according to product instructions.
- Continue with your service as usual, applying colour, TGB Top Coat or enhancements as needed.

STEP 4: FINISH WITH HYPOFIX™ REPAIR SERUM

- Once your treatment is complete, apply HypoFix™ Repair Serum to each cuticle just as you would a traditional cuticle oil.
- This helps to nourish, protect and soothe the surrounding skin and nails.

PRO TIP

- When performing an infill, don't forget to reapply HypoFix™ Primer to any new nail growth before continuing the service.

REMOVAL

- HypoFix™ will come away naturally during a regular removal process of any TGB product and does not require separate removal.



THE GELBOTTLE INC

HYPOFI+
Primer

BASE POUR ONGLES
0.7 FL OZ / 20ML e